

NOTES ON NEW AND NOTEWORTHY PLANTS. CXXXI

Harold N. Moldenke

*ERIOCAULON MELANOCEPHALUM* f. *LONGIPES* (Griseb.) Mold., stat. nov.  
*Eriocaulon melanocephalum* var. *longipes* Griseb., Cat. Pl.  
Cub. 226. 1866.

*LANTANA PEDUNCULARIS* f. *MACROPHYLLA* (Mold.) Mold., stat. nov.  
*Lantana peduncularis* var. *macrophylla* Mold., Phytologia 14:  
325. 1967.

*LIPPIA ROSMARINIFOLIA* f. *LATIFOLIA* (Mold.) Mold., stat. nov.  
*Lippia rosmarinifolia* var. *latifolia* Mold., Phytologia 14:  
217. 1967.

*PAEPALANTHUS CAPILLACEUS* f. *PROLIFERUS* (Gleason) Mold., stat. nov.  
*Paepalanthus capillaceus* var. *proliferus* Gleason, Bull.  
Torrey Bot. Club 58: 328. 1931.

*PAEPALANTHUS PERPLEXANS* var. *STEYERMARKII* Mold., var. nov.  
Haec varietas a forma typica speciei laminis foliorum  
junioribus utrinque perspicue longiterque argenteo-villosis re-  
cedit.

This variety differs from the typical form of the species in  
having its upper (younger) leaves conspicuously silvery-villous  
on both surfaces with long and loose hairs.

The type of the variety was collected by Julian A. Steyer-  
mark, Victor Carreño Espinosa, Roy McDiarmid, and Charles Brewer-  
Carías (no. 115640) in dense growth bordering a stream and  
zajna toward the eastern side of Cumbre del Ptari-tepui, lat. 5°  
45' N., 61°45' W., to the north of Mision de Santa Teresita de  
Kavanayen, at 2360--2420 m. altitude, Bolívar, Venezuela, on Febru-  
ary 23, 1978, and is deposited in my personal herbarium. The col-  
lectors note "leaves gray-green with gray hairs, heads gray-white  
with black and gray involucr" and have annotated the holotype as  
"*Paepalanthus* n. sp. aff. *perplexans* Mold."

*SYNGONANTHUS GLANDULOSUS* f. *EPAPILLOSUS* (Mold.) Mold., stat. nov.  
*Syngonanthus glandulosus* var. *epapillosum* Mold., Phytologia  
26: 177--189. 1973.

*VITEX TRIFLORA* f. *QUINQUEFOLIOLATA* (Mold.) Mold., stat. nov.  
*Vitex triflora* var. *quinquefoliolata* Mold., Phytologia 1:  
104. 1934.